

bizhub 4700i

Black & White A4 printer





bizhub 4700i Datasheet

CUSTOMER BENEFITS



Intuitive operability Operate the bizhub like a smartphone or tablet with fully customised user interface



Mobile connectivity
Print anytime from anywhere
with Konica Minolta´s innovative mobile technologies




Services Efficient printer fleet manage-ment, including automatic con-sumables delivery, pro-active maintenance and remote setup



Sustainability Numerous eco features reduce energy consumption and costs

OPTIONS











OTHERS

4 MEDIA INPUT

Height adjustment unit PF-P22

Height adjustment unit *

Copy desk DK-P04x

LEGEND Mandatory option Option This option can only be installed with the respective option above it

FINISHING FUNCTIONALITIES





Enhanced Features

DESCRIPTION

bizhub 4700i Datasheet

Elliancea reatures	
LK-114 Serverless Pull Printing	Secure and Follow Me printing solution
	requiring no server application
Connectivity	
UK-221 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode
EK-P08 USB I/F kit	USB keyboard connection
EK-P09 USB I/F kit	USB keyboard connection; Bluetooth
EK-P10 NFC interface	To connect with Android mobile devices
EK-P11 I/F cable for CSRC modem	GPRS modem connection for CSRC
AU-102 Biometric authenticaton	Finger vein scanner
ID card reader	Various ID card technologies
MK-P08 Mount kit	Installation kit for ID card reader

WT-P03 Working table	Authentication device placement
KP-P03 10-Key pad	For use instead of touchscreen
KH-P02 Keyboard holder	To place USB keyboard
Media Input	500 -ht - A4 50 00 - /2
PF-P20/PF-P21 ₂ Paper tray	500 sheets, A4, 60-90 g/m ²
PF-P20/PF-P21 ₂ Paper tray	500 sheets, A4, 60-90 g/m ² To achieve comfortable height for operation

20-sheet off-line stapling

TECHNICAL SPECIFICATIONS

CVCTEM CDECIFICATIONS

SYSTEM SPECIFICATIONS	
System speed A4	Up to 47 ppm
Autoduplex speed A4	Up to 47 ppm
1st page out time A4	7.4 sec.
Warm-up time	Approx. 17 sec. ¹
Imaging technology	Laser
Panel size/resolution	7" / 800 x 480
System memory	4,096 MB (standard/max)
System hard drive	8 GB (standard)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; USB 3.0; Wi-Fi 802.11
	b/g/n/ac (optional)
Network protocols	TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	$60-210 \text{ g/m}^2$
Paper input capacity	600 sheets / 1,600 sheets (standard/max)
Paper tray input (standard)	1x 500; A6-A4; custom sizes; 60-210 g/m ²
Paper tray input (optional)	1x 500 sheets; A4; 60–90 g/m² (up to 2x)
Manual bypass	100 sheets; A6–A4; custom sizes; $60–210 \text{ g/m}^2$
Finishing modes (optional)	Group; Sort; Staple (offline)
Automatic duplexing	B5-A4; 60-210 g/m ²
Output capacity	Up to 250 sheets
Duty cycle (monthly)	Rec. 6,500 pages; Max. ² 120,000 pages
Toner lifetime	Black up to 20,000 pages
Imaging unit lifetime	Black up to 200,000 pages (imaging unit)
Power consumption	220-240 V / 50/60 Hz; Less than 1.45 kW
System dimension (W x D x H)	420 x 528 x 473 mm (without options)
System weight	Approx. 29.0 kg (without options)

PRINTER SPECIFICATION	NS

Page description language

Print resolution

FS-P04 Off-line stapler

Operating systems	Windows 7 (32/64); Windows 8.1 (32/64); Windows 10 (32/64)
	Windows Server 2008 (32/64); Windows Server 2008 R2;
	Windows Server 2012; Windows Server 2012 R2;
	Windows Server 2016; Windows Server 2019;
	Macintosh OS X 10.10 or later; Unix; Linux; Citrix
Printer fonts	80 PCL Latin; 137 PostScript 3 Emulation Latin
Mobile printing	AirPrint (iOS),Mopria (Android);
	Konica Minolta Print Service (Android);
	Konica Minolta Mobile Print (iOS/Android)
	optional: WiFi Direct
SYSTEM FEATURES	
Security	IP filtering and port blocking; SSL3 and TLS1.0/1.1/1.2 networ
	communication; IPsec support; IEEE 802.1x support;
	User authentication; Kerberos; Hard drive overwrite;
	Hard drive data encryption (AES 256); Print user data encryption
Accounting	Up to 100 user accounts; Active Directory support (user name
	password + e-mail + smb folder)
	optional: Biometric authentication (finger vein scanner);
	ID card authentication (ID card reader);
	Authentication by mobile device (Android/iOS)
Software	Net Care Device Manager; Data Administrator; Box Operator;
	Web Connection; Print Status Notifier; Driver Packaging Utility
	Log Management Utility

1200 x 1200 dpi

PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS

^{*1} It is not available for china.

^{*2} Only applies to Hong Kong.

^{*3} Supported client machine.

- ¹ Warm-up time may vary depending on the operating environment and usage
- ² If the maximum volume is reached within a period of one year, then a maintenance cycle must be
- All specifications refer to A4-size paper of $80\ g/m^2$ quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a
 particular page size (6% coverage of A4). The actual life of each consumable will vary depending on use and other printing $variables\ including\ page\ coverage,\ page\ size,\ media\ type,\ continuous\ or\ intermittent\ printing,\ ambient\ temperature\ and$ humidity.
- Some of the product illustrations contain optional accessories.
 Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.





















